

# SEARCH HISTORY

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5024	memory and (multiple near (plane\$1 or block\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:25
L2	0	1 and (independen\$4 near address) and resister and decod\$4 and rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:26
L3	28	1 and (independen\$4 near address) and register and decod\$4 and rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:26
L4	46	1 and (independen\$4 near address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:26
L5	529	1 and (independen\$4 same address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:26
L7	227	1 and (independen\$4 with address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:26
L8	172	7 and register\$1 and (memory same operation\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:27
L9	67	8 and selector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:27

L10	167	8 and select\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:28
L11	67	10 and selector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:28
L12	67	11 and input and output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:28
L13	66	12 and (control same signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:29
L14	9	13 and "365"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:31
L18	1	((multiple same plane) and (common near address) and (independent near address) and (functional near register) and (selector near block\$1)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:34
L19	416	method and (maintain\$4 same (address near information)) and memory and access and (receiv\$4 same (address same command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:48
L20	40	19 and ((stor\$4 same address) and (register same locked) and (rout\$4 same address) and repeat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:50

L21	2	20 and "365"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 11:50
-----	---	------------------------	---	----	----	------------------